



> home > about > feedback > login

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [chien<AND>expert AND system AND intelligent AND teaching]

Found 2 of 127,944 searched.

Search within Results



> Advanced Search

> Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 1 - 2 of 2 short listing

1 Education for the deep submicron age: business as usual? 77%



H. De Man
Proceedings of the 34th annual conference on Design automation conference June 1997

2 Launching the new era 77%



Kazuhiro Fuchi , Robert Kowalski , Koichi Furukawa , Kazunori Ueda , Ken Kahn , Takashi Chikayama , Evan Tick
Communications of the ACM March 1993
Volume 36 Issue 3

Results 1 - 2 of 2 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



> home | > about | > feedback | > login

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [hint<AND>((answer<AND>((question<AND>((expert AND system AND intelligent AND teaching))))))]

Found 66 of 127,944 searched.

Search within Results

> Advanced Search

> Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 61 - 66 of 66 short listing

Prev Page 1 2 3 4
 Next Page

61 An object-oriented tutoring system for teaching sets 77%

H. Altay Güvenir

ACM SIGCSE Bulletin September 1995

Volume 27 Issue 3

Over the recent years several prototypes of intelligent tutoring systems for scientific subjects have been developed. Meanwhile, the object-oriented paradigm has become popular in the software engineering and artificial intelligence communities. The objective of the research presented in this paper is an application of the object-oriented paradigm to the design and implementation of an intelligent tutoring system. The domain of the system is the set theory at the secondary school level. It is sh ...

62 Programmable applications: interpreter meets interface 77%

Michael Eisenberg

ACM SIGCHI Bulletin April 1995

Volume 27 Issue 2

Current fashion in "user-friendly" software design tends to place an over-reliance on direct manipulation interfaces. To be truly expressive (and thus truly user-friendly), applications need both learnable interfaces and domain-enriched languages that are accessible to the user. This paper discusses some of the design issues that arise in the creation of such *programmable applications*. As an example, we present "SchemePaint," a graphics application that combines a MacPaint-like interface ...

63 CMIFed: a transportable hypermedia authoring system 77%

Lynda Hardman , Guido van Rossum , Jack Jansen , Sjoerd Mullender


Proceedings of the second ACM international conference on Multimedia October 1994

64 Learner-centered design: the challenge for HCI in the 21st century 77%
 Elliot Soloway , Mark Guzdial , Kenneth E. Hay
interactions April 1994
Volume 1 Issue 2

65 The case for case studies of programming problems 77%
 Marcia C. Linn , Michael J. Clancy
Communications of the ACM March 1992
Volume 35 Issue 3

66 Log on education: Quick, where do the computers go? 77%
 Elliot Soloway
Communications of the ACM February 1991
Volume 34 Issue 2
History has dealt computer and information science a special role in the inevitable restructuring of the educational system in the United States. In the coming decade computing and information technology will be the backbone of the most significant change in education in over 100 years. Rather than being an adjunct to learning and teaching, technology is facilitating a fundamental re-thinking of what should be learned and how. Such changes present the Communications

Results 61 - 66 of 66 short listing



The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



> home > about > feedback > login

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [hint<AND>((answer<AND>((question<AND>((expert AND system AND intelligent AND teaching))))))]

Found 66 of 127,944 searched.

Search within Results



> Advanced Search

> Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 21 - 40 of 66 short listing

Prev Page 1 2 3 4 Next Page

21 Individual and/versus social creativity (panel session) 77%
 Ernest Edmonds , Linda Candy , Geoff Cox , Jacob Eisenstein , Gerhard Fischer , Bob Hughes , Tom Hewett
Proceedings of the third conference on Creativity & cognition October 1999

22 Theories: Video games and education: (education in the face of a "parallel school") 77%
 Miguel de Aguilera , Alfonso Mendiz
Computers in Entertainment (CIE) October 2003
Volume 1 Issue 1
Fully integrated into the everyday lives of millions of young people throughout the world, video games are a vital part of contemporary culture and society. But the reaction of many authorities and the majority of educators has been to discredit video games by assuming their negative effects. After more than two decades of research, however, many studies have been published that have gradually led to a more complex, nuanced, and useful understanding of video games. This article focuses on one of ...

23 The why, where and how of minimalism 77%
 R. John Brockmann
ACM SIGDOC Asterisk Journal of Computer Documentation , Proceedings of the 8th annual international conference on Systems documentation September 1990
Volume 14 Issue 4

24 Acquisition of routine cognitive skills by computer users: a study of intelligent computer aided instruction 77%



Ronaldo Zwicker , Nicolau Reinhard

Proceedings of the 1990 ACM SIGBDP conference on Trends and directions in expert systems September 1990

25 Front matter (letters and notices) 77%




Will Tracz

ACM SIGSOFT Software Engineering Notes November 2003

Volume 28 Issue 6

26 Designing multimedia: Comparing MMVIS to a timeline for temporal 77%




Stacie Hibino , Elke A. Rundensteiner

Proceedings of the working conference on Advanced visual interfaces May 1998

Our MultiMedia Visual Information Seeking (MMVIS) environment provides an exploratory visual paradigm for temporal trend analysis. In this paper, we present the results of a user interface study evaluating the utility of MMVIS. We compare MMVIS to a timeline-based approach for analyzing temporal trends in real video data. We evaluate the quantity, complexity and accuracy of temporal trend observations made within each interface, compare the number of positive versus negative trends found, and co ...

27 Papers: Children's perception of computer programming as an aid to 77%




Robert Sheehan

Proceeding of the 2003 conference on Interaction design and children July 2003

Primary school pupils of two different age groups were asked to draw pictures of people programming computers and then asked questions to reveal their understanding of computer programming. As was expected neither group showed great understanding of how computer programs are produced. Programming was seen as the productions of visual and audio effects. The older children recognised that programming was something to do with controlling the computer. These understandings are used to produce a list ...

28 An appreciation of computer appreciation 77%



Arthur B. Kahn

Proceedings of the 1967 22nd national conference January 1967

The term "Computer Appreciation" (CA) was coined by Hamming (circa 1960) when he indicated the need for broad scale education about computers. In order to achieve this objective, the computing profession must gain for itself an appreciation of just what CA might be. Undoubtedly, there are many diverse opinions upon the subject, and it is hoped that this paper will provoke a discussion that is long overdue. For example, the authors view of CA is more intense than the usual concep ...

29 A tutoring and student modelling paradigm for gaming environments 77%



Richard R. Burton , John Seely Brown

Proceedings of the ACM SIGCSE-SIGCUE technical symposium on Computer science and education February 1976

Volume 2 , 8 Issue SI , 1

This paper describes a paradigm for tutorial systems capable of automatically providing feedback and hints in a game environment. The paradigm is illustrated by a tutoring system for the PLATO game "How the West Was Won". The system uses a computer-based "Expert" player to evaluate a student's moves and construct a

"differential model" of the student's behavior with respect to the Expert's. The essential aspects of the student's behavior are analyzed with ...

30 National opinions from university computing center documentors on
procedures, ideals, and interpersonal relationships 77%
 Ann White
Proceedings of the 5th annual ACM SIGUCCS conference on User services
November 1977
In this compendium 44 individuals who review or produce computer-related documentation at their university computing installations, have contributed their opinions on what it is like to be a "documentor" as well as their philosophy of what a "documentor" should be as a professional. The individuals responded to a questionnaire that explored the advantages and disadvantages of being a documentor, their techniques for communicating with the people they must inevitably ...

31 Fast detection of communication patterns in distributed executions 77%
 Thomas Kunz , Michiel F. H. Seuren
Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research November 1997
Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

32 The OODB path-method generator (PMG) using access weights and
precomputed access relevance 77%
 Ashish Mehta , James Geller , Yehoshua Perl , Erich Neuhold
The VLDB Journal — The International Journal on Very Large Data Bases February 1998
Volume 7 Issue 1
A *path-method* is used as a mechanism in object-oriented databases (OODBs) to retrieve or to update information relevant to one class that is not stored with that class but with some other class. A path-method is a method which traverses from one class through a chain of connections between classes and accesses information at another class. However, it is a difficult task for a casual user or even an application programmer to write path-methods to facilitate queries. This is because it mig ...

33 Analysis of navigation behaviour in web sites integrating multiple
information systems 77%
 Bettina Berendt , Myra Spiliopoulou
The VLDB Journal — The International Journal on Very Large Data Bases March 2000
Volume 9 Issue 1
The analysis of web usage has mostly focused on sites composed of conventional static pages. However, huge amounts of information available in the web come from databases or other data collections and are presented to the users in the form of dynamically generated pages. The query interfaces of such sites allow the specification of many search criteria. Their generated results support navigation to pages of results combining cross-linked data from many sources. For the analysis of visitor naviga ...

34 Expert systems and ICAI in tax law: killing two birds with one AI stone 77%

 D. M. Sherman

Proceedings of the second international conference on Artificial intelligence and law May 1989

The author describes five separate projects he has undertaken in the intersection of computer science and Canadian income tax law. They are: A computer-assisted instruction (CAI) course for teaching income tax, programmed using conventional CAI techniques; A "document modeling" computer program for generating the documentation for a tax-based transaction and advising the lawyer-user as to what decisions should be made and what the tax ef ...

35 Computer science education in the People's Republic of China in the late 77%

 1980s

J. D. Wilson , E. S. Adams , H. P. Baouendi , W. A. Marion , G. J. Yaverbaum

Communications of the ACM August 1988

Volume 31 Issue 8

Last year a delegation of international computer professionals with interests in computer science education participated in an information exchange with colleagues in the People's Republic of China. The delegation's experiences suggest that the Chinese have made substantial progress in some aspects of computer science education since late 1982, but that difficult problems remain to be solved.

36 Using expert systems components to enhance reliability analysis tools 77%

 William B. Frakes , D. H. Myers

Proceedings of the first international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 1 June 1988

In this paper we discuss the use of expert system components to enhance reliability analysis software tools. The discussion focuses on two expert systems built to enhance STAR and SUPER, reliability analysis tools developed at AT&T Bell Laboratories. STAR is used to select a model to fit life data. SUPER is used to model system reliability. The expert components were developed using AVIEN, an expert system development tool that allows easy integration of expert system components into C ...

37 New life in dusty decks: results of porting a CM Fortran based 77%

 aeroacoustic model to high performance Fortran

Jeffrey J. Nucciaroni , Yusuf Özyörük , Lyle N. Long

Proceedings of the 1997 ACM/IEEE conference on Supercomputing (CDROM)

November 1997

The High Performance Fortran language is a 'standard by consensus', developed by individuals and vendors in the high performance computing industry, to provide a low barrier entry to parallel computing. It promises to be an easier to use development environment for distributed memory computing platforms compared to the programming complexity required by message passing libraries such as PVM and MPI. HPF promises much and is still in its infancy. Since HPF was developed in part based on experience ...

38 Structure and Flow: A Case Study to Distill Structural Scaffolding 77%

 Guidelines for Scaffolded Software Environments

Chris Quintana , Joseph Krajcik , Elliot Soloway


Proceedings of the SIGCHI conference on Human factors in computing systems:

Changing our world, changing ourselves April 2002

A challenge for HCI researchers and designers involves developing software tools for learners to support them in mindfully doing and learning complex new work practices. Such "learner-centered" tools incorporate scaffolds-software features that address the cognitive obstacles learners face so they can engage in the work in an educationally productive manner. However, designers still lack specific scaffolding design guidelines for developing effective scaffolded tools. The HCI contribution of thi ...

39 L3—towards an open learning environment

77%




Torsten Leidig

Journal on Educational Resources in Computing (JERIC) March 2001

This article describe the use of dedicated ontology for teaching in the context of the L3 project, a national joint project for deploying further vocational education in Germany. The requirements for the open L3 learning infrastructure are presented in order to motivate our approach to metamodeling learning resources and services by using dedicated ontolgies of pedagogics and didactics. The basic concepts and parts ...

40 Reusability and adaptability of interactive resources in Web-based

77%




educational systems

Abdulmotaleb El Saddik , Stephan Fischer , Ralf Steinmetz

Journal on Educational Resources in Computing (JERIC) March 2001

The production of interactive multimedia content is in most cases an expensive task in terms of time and cost. Hence, optimizing production by exploiting the reusability of interactive multimedia elements is mandatory. Reusability can be triggered by a combination of reusable multimedia components and the appropriate use of metadata to control the components as well as their combination. In this article, we discuss the reusability aspects of interactive multimedia content in web ...

Results 21 - 40 of 66 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



> home : > about : > feedback : > login :

US Patent & Trademark Office

Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [hint<AND>((answer<AND>((question<AND>((expert AND system AND intelligent AND teaching))))))]

Found 66 of 127,944 searched.

Search within Results



> Advanced Search

> Search Help/Tips

Sort by: Title Publication Publication Date Score Binder**Results 1 - 20 of 66** short listing
 Prev Page **1 2 3 4**
 Next Page

1 Full Technical Papers: Intelligent user interface design for teachable agent systems 91%
 J. Davis , K. Leelawong , K. Belynne , B. Bodenheimer , G. Biswas , N. Vye , J. Bransford
Proceedings of the 8th international conference on Intelligent user interfaces
January 2003
This paper describes the interface components for a system called Bettys Brain, an intelligent agent we have developed for studying the *learning by teaching* paradigm. Our previous studies have shown that students gain better understanding of domain knowledge when they prepare to teach others versus when they prepare to take an exam. This finding has motivated us to develop computer agents that students teach using concept map representations with a visual interface. Betty is intelligent n ...

2 Computer vision and artificial intelligence 83%
 Christopher O. Jaynes
Crossroads September 1996
Volume 3 Issue 1

3 Is it live or is it Memorex? 82%
 Tory Sawyer , Randy Anderson , Gary McCuaig
Proceedings of the 14th annual ACM SIGUCCS conference on User services: setting the direction September 1986

4 Locus of feedback control in computer-based tutoring: impact on learning rate, achievement and attitudes 82%
 Albert T. Corbett , John R. Anderson
Proceedings of the SIGCHI conference on Human factors in computing systems

March 2001

The advent of second-generation intelligent computer tutors raises an important instructional design question: when should tutorial advice be presented in problem solving? This paper examines four feedback conditions in the ACT Programming Tutor. Three versions offer the student different levels of control over error feedback and correction: (a) immediate feedback and immediate error correction; (b) immediate error flagging and student control of error correction; (c) feedback on demand and ...

5 The friendly intelligent tutoring environment

82%

 Ljubomir Jerinic , Vladan Devedzic
ACM SIGCHI Bulletin January 2000

Volume 32 Issue 1

The advancement of using the Artificial Intelligence (AI) methods and techniques in design Intelligent Tutoring Systems (ITSs) makes understanding them more difficult, so that teachers are less and less prepared to accept these systems. As a result, the gap between researchers in the field of ITSs and the educational community is constantly widening. While ITSs are becoming more common and proving to be increasingly effective, each one must still be built from scratch at a significant cost. Also ...

6 Programming by example: programming by demonstration for information agents

82%

 Mathias Bauer , Dietmar Dengler , Gabriele Paul , Markus Meyer
Communications of the ACM March 2000

Volume 43 Issue 3

7 Intelligent tutoring: A collaborative intelligent tutoring system for medical problem-based learning

80%

 Siriwan Suebnukarn , Peter Haddawy
Proceedings of the 9th international conference on Intelligent user interface
January 2004

This paper describes COMET, a collaborative intelligent tutoring system for medical problem-based learning. The system uses Bayesian networks to model individual student knowledge and activity, as well as that of the group. It incorporates a multi-modal interface that integrates text and graphics so as to provide a rich communication channel between the students and the system, as well as among students in the group. Students can sketch directly on medical images, search for medical concepts, an ...

8 Full Technical Papers: Evolution of user interaction: the case of agent adele

80%

 W. Lewis Johnson , Erin Shaw , Andrew Marshall , Catherine LaBore
Proceedings of the 8th international conference on Intelligent user interfaces
January 2003

Animated pedagogical agents offer promise as a means of making computer-aided learning more engaging and effective. To achieve this, an agent must be able to interact with the learner in a manner that appears believable, and that furthers the pedagogical goals of the learning environment. In this paper we describe how the user interaction model of one pedagogical agent evolved through an iterative process of design and user testing. The pedagogical agent Adele assists students as they assess and ...

9 Some considerations on intelligent tutoring systems 80%
 A. Vantaggiato
Proceedings of the first international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 2 June 1988

10 Spoken dialogue technology: enabling the conversational user interface 80%
 **ACM Computing Surveys (CSUR)** March 2002
Volume 34 Issue 1
Spoken dialogue systems allow users to interact with computer-based applications such as databases and expert systems by using natural spoken language. The origins of spoken dialogue systems can be traced back to Artificial Intelligence research in the 1950s concerned with developing conversational interfaces. However, it is only within the last decade or so, with major advances in speech technology, that large-scale working systems have been developed and, in some cases, introduced into commerce ...

11 Computer-supported instruction: Natural-language processing for 80%
 computer-supported instruction
D. S. Himmelman
intelligence December 2001
Volume 12 Issue 4

12 FRA: using a goal-based scenario to teach financial statement analysis 80%
 David A. Foster
Proceedings of the 1994 ACM symposium on Applied computing April 1994

13 Prototyping an intelligent agent through Wizard of Oz 80%
 David Maulsby , Saul Greenberg , Richard Mander
Proceedings of the conference on Human factors in computing systems January 1993

14 Prototyping an intelligent agent through Wizard of Oz 80%
 David Maulsby , Saul Greenberg , Richard Mander
Proceedings of the SIGCHI conference on Human factors in computing systems May 1993
Turvy is a simulated prototype of an instructible agent. The user teaches it by demonstrating actions and pointing at or talking about relevant data. We formalized our assumptions about what could be implemented, then used the Wizard of Oz to flesh out a design and observe users' reactions as they taught several editing tasks. We found: a) all users invent a similar set of commands to teach the agent; b) users learn the agent's language by copying its speech; c) users teach simple tasks with ...

15 Reviewed papers: Developing intelligent programming tutors for novice 80%
 programmers
Nelishia Pillay
ACM SIGCSE Bulletin June 2003
Volume 35 Issue 2
First year Computer Science students often encounter difficulties when learning to write procedural and object-oriented programs for the first time. This is also true of students being exposed to a new programming paradigm. One-on-one tutoring has proven to be the most effective means of assisting first time programmers overcome

learning difficulties. However, due to large class numbers and funding constraints the provision of one-on-one tutoring is not usually possible. Intelligent tutoring sys ...

16 Simulation education: Teaching tools and methods: GeNisa: a web-based interactive learning environment for teaching simulation modelling 80%

 Tajudeen Atolagbe , Vlatka Hlupic , Simon J. E. Taylor

Proceedings of the 33nd conference on Winter simulation December 2001

Intelligent Tutoring Systems (ITS) provide students with adaptive instruction and can facilitate the acquisition of problem solving skills in an interactive environment. This paper discusses the role of pedagogical strategies that have been implemented to facilitate the development of simulation modelling knowledge. The learning environment integrates case-based reasoning with interactive tools to guide tutorial remediation. The evaluation of the system shows that the model for pedagogical activ ...

17 Studies in machine cognition using the game of poker 80%

 Nicholas V. Findler

Communications of the ACM April 1977

Volume 20 Issue 4

A progress report is presented of on-going research efforts concerning human decision making under uncertainty and risk and human problem solving and learning processes on the one hand, and machine learning, large scale programming systems, and novel programming techniques on the other. There has also been interest in how humans make deductive and inductive inferences and form and optimize heuristic rules, and how machines can reach similar results. Although the vehicle of these investigati ...

18 OBOA model of explanation module in intelligent tutoring shell 80%

 Ljubomir Jerinic , Vladan Devedzic

ACM SIGCSE Bulletin , Proceedings of the 2nd conference on Integrating technology into computer science education June 1997

Volume 29 Issue 3

The important characteristics of any intelligent systems are the possibilities of explanation. So, any software product which intend to be intelligent must provide some kind of explanation, i.e., explanation of some conclusions, explanation of new knowledge (theorem), etc. As Intelligent Tutoring Systems (ITSs) intend to be intelligent software, the explanation feature must be provided in ITSs. In this paper, we will briefly survey how we realized the explanation properties and features in Intel ...

19 Computing for users with special needs and models of computer-human interaction 80%


 William W. McMillan

Proceedings of the SIGCHI conference on Human factors in computing systems June 1992

Models of human-computer interaction (HCI) can provide a degree of theoretical unity for diverse work in computing for users with special needs. Example adaptations for special users are described in the context of both implementation-oriented and linguistic models of HCI. It is suggested that the language of HCI be used to define standards for special adaptations. This would enhance reusability, modifiability, and compatibility of adaptations, inspire new innovations, and make it easier fo ...

20 Efficient execution of multiple query workloads in data analysis

77%



Henrique Andrade , Tahsin Kurc , Alan Sussman , Joel Saltz

Proceedings of the 2001 ACM/IEEE conference on Supercomputing (CDROM)

November 2001

Applications that analyze, mine, and visualize large datasets are considered an important class of applications in many areas of science, engineering, and business. Queries commonly executed in data analysis applications often involve user-defined processing of data and application-specific data structures. If data analysis is employed in a collaborative environment, the data server should execute multiple such queries simultaneously to minimize the response time to clients. In this paper we pre ...

Results 1 - 20 of 66

short listing



The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



> home : > about : > feedback : > login

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [answer<AND>((question<AND>((expert AND system AND intelligent AND teaching))))]

Found 479 of 127,944 searched.

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results

hint

> Advanced Search

> Search Help/Tips

Sort by: Title Publication Publication Date Score

Results 1 - 20 of 200 short listing



Prev
Page

1 2 3 4 5 6 7 8 9 10



Next
Page

1 Expert systems and ICAI in tax law: killing two birds with one AI stone 94%

D. M. Sherman

Proceedings of the second international conference on Artificial intelligence and law May 1989

The author describes five separate projects he has undertaken in the intersection of computer science and Canadian income tax law. They are: A computer-assisted instruction (CAI) course for teaching income tax, programmed using conventional CAI techniques; A "document modeling" computer program for generating the documentation for a tax-based transaction and advising the lawyer-user as to what decisions should be made and what the tax ef ...

2 Full Technical Papers: Intelligent user interface design for teachable 93%

agent systems

J. Davis , K. Leelawong , K. Belynne , B. Bodenheimer , G. Biswas , N. Vye , J. Bransford
Proceedings of the 8th international conference on Intelligent user interfaces

January 2003

This paper describes the interface components for a system called Bettys Brain, an intelligent agent we have developed for studying the *learning by teaching* paradigm. Our previous studies have shown that students gain better understanding of domain knowledge when they prepare to teach others versus when they prepare to take an exam. This finding has motivated us to develop computer agents that students teach using concept map representations with a visual interface. Betty is intelligent n ...

3 Intelligent computer-based instruction 92%

M. C. Lee , P. A. Samet

Proceedings of the 15th annual conference on Computer Science February 1987

Considerable interest continues to be shown in the use of logic programming in many areas of expert systems. Much of the enthusiasm stems from the adoption of PROLOG as the core programming language by the Japanese Fifth Generation Project. An intelligent computer-based instruction system, based upon an expert system approach and comprised of an expert system shell and a number of subject dependent knowledge bases, is introduced in this paper. The system, being implemented in PROLOG, would ...

4 Providing opportunistic enrichment in customized on-line assistance 90%
 Ursula Wolz
Proceedings of the 1st international conference on Intelligent user interfaces
February 1993

5 Toward an intelligent tutoring system for teaching law students to argue 89%
 with cases
Kevin D. Ashley , Vincent Aleven
Proceedings of the third international conference on Artificial intelligence and law May 1991

6 Evaluating intelligent tutoring with gaming-simulations 89%
 Julika Siemer , Marios C. Angelides
Proceedings of the 27th conference on Winter simulation December 1995

7 An intelligent distributed environment for active learning 88%
 **Journal on Educational Resources in Computing (JERIC)** August 2001
Active learning is an effective learning approach. In this article we present an intelligent agent-assisted environment for active learning to better support the student-centered, selfpaced, and highly interactive learning approach. The environment uses the students learningrelated profile such as learning style and background knowledge in selecting, organizing, and presenting learning material, and it adopts a new approach to course content organization and delivery based on smart instruct ...

8 An intelligent approach to handling imperfect information in concept-based natural language queries 88%
 Vesper Owei
ACM Transactions on Information Systems (TOIS) July 2002
Volume 20 Issue 3
Missing information, imprecision, inconsistency, vagueness, uncertainty, and ignorance abound in information systems. Such imperfection is a fact of life in database systems. Although these problems are widely studied in relational database systems, this is not the case in conceptual query systems. And yet, concept-based query languages have been proposed and some are already commercial products. It is therefore imperative to study these problems in concept-based query languages, with a view to ...

9 A theory of student modelling in instructional expert systems 88%
 Gerard K. Rambally
Proceedings of the 1986 ACM fourteenth annual conference on Computer science
February 1986

10 LITES, an intelligent tutoring system for legal problem solving in the domain of Dutch Civil law 88%
 Georges Span
Proceedings of the fourth international conference on Artificial intelligence and law August 1993

11 The friendly intelligent tutoring environment 88%
 Ljubomir Jerinic , Vladan Devedzic
ACM SIGCHI Bulletin January 2000
Volume 32 Issue 1
The advancement of using the Artificial Intelligence (AI) methods and techniques in design Intelligent Tutoring Systems (ITSs) makes understanding them more difficult, so that teachers are less and less prepared to accept these systems. As a result, the gap between researchers in the field of ITSs and the educational community is constantly widening. While ITSs are becoming more common and proving to be increasingly effective, each one must still be built from scratch at a significant cost.
Also ...

12 Teaching artificial intelligence as the year 2000 approaches 87%
 Michele R. LaRusch
ACM SIGCSE Bulletin , Proceedings of the twenty-fourth SIGCSE technical symposium on Computer science education March 1993
Volume 25 Issue 1

13 Interface design issues for advice-giving expert systems 87%
 John M. Carroll , Jean McKendree
Communications of the ACM January 1987
Volume 30 Issue 1
Advice giving could become the first successful domain for intelligent interfaces.

14 An intelligent distributed environment for active learning 85%
 Yi Shang , Hongchi Shi , Su-Shing Chen
Proceedings of the tenth international conference on World Wide Web April 2001

15 Computing curricula 2001 85%
 **Journal on Educational Resources in Computing (JERIC)** September 2001

16 The winter simulation conference: celebrating twenty-five years of progress 85%
 Robert C. Crain , Joseph M. Sussman , Thomas J. Schriber , James O. Henriksen , Stephen D. Roberts
Proceedings of the 24th conference on Winter simulation December 1992

17 Computer vision and artificial intelligence 85%
 Christopher O. Jaynes
Crossroads September 1996
Volume 3 Issue 1

84%

18 Programming languages: past, present, and future: sixteen prominent computer scientist assess our field
 Peter Trott
ACM SIGPLAN Notices January 1997
Volume 32 Issue 1

19 Formal representation of a conceptual knowledge model for a database 84%

 based expert system
Ramin Yasdi

Proceedings of the twenty-first annual conference on Computer personnel research December 1985

With the actual penetration of expert systems into the business world, the question is, how can expert systems be used to enhance the existing information systems with more intelligence in usage and operation. This interest is not surprising due to the advancement of the fifth generation of computer technology and avid interest in the field of Artificial Intelligence. This paper presents a conceptual model for analysing complex real world problems. The model, known as the Concept ...

20 Some considerations on intelligent tutoring systems 83%

 A. Vantaggiato
Proceedings of the first international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 2 June 1988

Results 1 - 20 of 200

short listing

 
Prev Page 1 2 3 4 5 6 7 8 9 10 Next Page

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



> home | > about | > feedback | > login

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [question<AND>((expert AND system AND intelligent AND teaching))]

Found 653 of 127,944 searched.

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results

answer



> Advanced Search

> Search Help/Tips

Sort by: Title Publication Publication Date Score

Results 1 - 20 of 200 short listing



Prev
Page

1 2 3 4 5 6 7 8 9 10



Next
Page

1 The friendly intelligent tutoring environment 95%

Ljubomir Jerinic , Vladan Devedzic
ACM SIGCHI Bulletin January 2000

Volume 32 Issue 1

The advancement of using the Artificial Intelligence (AI) methods and techniques in design Intelligent Tutoring Systems (ITSs) makes understanding them more difficult, so that teachers are less and less prepared to accept these systems. As a result, the gap between researchers in the field of ITSs and the educational community is constantly widening. While ITSs are becoming more common and proving to be increasingly effective, each one must still be built from scratch at a significant cost. Also ...

2 Expert systems and ICAI in tax law: killing two birds with one AI stone 94%

D. M. Sherman
Proceedings of the second international conference on Artificial intelligence and law May 1989

The author describes five separate projects he has undertaken in the intersection of computer science and Canadian income tax law. They are: A computer-assisted instruction (CAI) course for teaching income tax, programmed using conventional CAI techniques; A "document modeling" computer program for generating the documentation for a tax-based transaction and advising the lawyer-user as to what decisions should be made and what the tax ef ...

3 Computing curricula 2001 94%

Journal on Educational Resources in Computing (JERIC) September 2001

4 Full Technical Papers: Intelligent user interface design for teachable agent systems 93%

 J. Davis , K. Leelawong , K. Belynne , B. Bodenheimer , G. Biswas , N. Vye , J. Bransford
Proceedings of the 8th international conference on Intelligent user interfaces
January 2003

This paper describes the interface components for a system called Bettys Brain, an intelligent agent we have developed for studying the *learning by teaching* paradigm. Our previous studies have shown that students gain better understanding of domain knowledge when they prepare to teach others versus when they prepare to take an exam. This finding has motivated us to develop computer agents that students teach using concept map representations with a visual interface. Betty is intelligent n ...

5 Intelligent computer-based instruction 92%

 M. C. Lee , P. A. Samet
Proceedings of the 15th annual conference on Computer Science February 1987

Considerable interest continues to be shown in the use of logic programming in many areas of expert systems. Much of the enthusiasm stems from the adoption of PROLOG as the core programming language by the Japanese Fifth Generation Project. An intelligent computer-based instruction system, based upon an expert system approach and comprised of an expert system shell and a number of subject dependent knowledge bases, is introduced in this paper. The system, being implemented in PROLOG, would ...

6 Computer vision and artificial intelligence 91%

 Christopher O. Jaynes
Crossroads September 1996
Volume 3 Issue 1

7 Providing opportunistic enrichment in customized on-line assistance 90%

 Ursula Wolz
Proceedings of the 1st international conference on Intelligent user interfaces
February 1993

8 Toward an intelligent tutoring system for teaching law students to argue with cases 89%

 Kevin D. Ashley , Vincent Aleven
Proceedings of the third international conference on Artificial intelligence and law May 1991

9 A natural language based legal expert system for consultation and tutoring—the LEX project 89%

 F. Haft , R. P. Jones , Th. Wetter
Proceedings of the first international conference on Artificial intelligence and law
December 1987

The LEX (Legal Expert System) project is one of the European based projects investigating legal expert systems from both a professional and a teaching perspective. The project is a cooperative project between the University of Tübingen and IBM Germany and developed out of research into a User Specialty Language system (USL) for natural language queries to a relational data base. The LEX system has as its main components a Natural Language Analyzer for analysis and logic

representation ...

10 Evaluating intelligent tutoring with gaming-simulations 89%
 Julika Siemer , Marios C. Angelides
Proceedings of the 27th conference on Winter simulation December 1995

11 An intelligent distributed environment for active learning 88%
 **Journal on Educational Resources in Computing (JERIC)** August 2001
Active learning is an effective learning approach. In this article we present an intelligent agent-assisted environment for active learning to better support the student-centered, self-paced, and highly interactive learning approach. The environment uses the student's learning-related profile such as learning style and background knowledge in selecting, organizing, and presenting learning material, and it adopts a new approach to course content organization and delivery based on smart instruction ...

12 An intelligent approach to handling imperfect information in concept-based natural language queries 88%
 Vesper Owei
ACM Transactions on Information Systems (TOIS) July 2002
Volume 20 Issue 3
Missing information, imprecision, inconsistency, vagueness, uncertainty, and ignorance abound in information systems. Such imperfection is a fact of life in database systems. Although these problems are widely studied in relational database systems, this is not the case in conceptual query systems. And yet, concept-based query languages have been proposed and some are already commercial products. It is therefore imperative to study these problems in concept-based query languages, with a view to ...

13 A theory of student modelling in instructional expert systems 88%
 Gerard K. Rambally
Proceedings of the 1986 ACM fourteenth annual conference on Computer science
February 1986

14 LITES, an intelligent tutoring system for legal problem solving in the domain of Dutch Civil law 88%
 Georges Span
Proceedings of the fourth international conference on Artificial intelligence and law August 1993

15 Teaching artificial intelligence as the year 2000 approaches 87%
 Michele R. LaRusch
ACM SIGCSE Bulletin , Proceedings of the twenty-fourth SIGCSE technical symposium on Computer science education March 1993
Volume 25 Issue 1

16 Interface design issues for advice-giving expert systems 87%
 John M. Carroll , Jean McKendree
Communications of the ACM January 1987
Volume 30 Issue 1

Advice giving could become the first successful domain for intelligent interfaces.

17 Session 9D: embodied agents: Learning domain knowledge for teaching procedural skills 85%

 Richard Angros , W. Lewis Johnson , Jeff Rickel , Andrew Scholer

Proceedings of the first international joint conference on Autonomous agents and multiagent systems: part 3 July 2002

This paper describes a method for acquiring procedural knowledge for use by pedagogical agents in interactive simulation-based learning environments. Such agents need to be able to adapt their behavior to the changing conditions of the simulated world, and respond appropriately in mixed-initiative interactions with learners. This requires a good understanding of the goals and causal dependencies in the procedures being taught. Our method, inspired by human tutorial dialog, combines direct specif ...

18 Assessing object-oriented technology skills using an Internet-based system 85%



Ahmed Seffah , Moncef Bari , Michel Desmarais

ACM SIGCSE Bulletin , Proceedings of the 4th annual SIGCSE/SIGCUE ITiCSE conference on Innovation and technology in computer science education June 1999

Volume 31 Issue 3

In this paper, we describe a Web-based system that defines training needs for object-oriented developers by identifying the strong and the weak areas of their knowledge and skills. The system is based on the use of two tools, GAA [8] and UKAT [3], developed at the Computer Research Institute of Montreal (CRIM). UKAT (User Knowledge Assessment Tool) uses a state-of-the-art knowledge assessment method to create a user profile of the proficiency in a subject domain. GAA (Intelligent Guide) is a Web ...

19 Towards a framework for integrating intelligent tutoring systems and gaming-simulation 85%



Marios C. Angelides , Ray J. Paul

Proceedings of the 25th conference on Winter simulation December 1993

20 Database design with common sense business reasoning and learning 85%

 Veda C. Storey , Roger H. L. Chiang , Debabrata Dey , Robert C. Goldstein , Shankar Sudaresan

ACM Transactions on Database Systems (TODS) December 1997

Volume 22 Issue 4

Automated database design systems embody knowledge about the database design process. However, their lack of knowledge about the domains for which databases are being developed significantly limits their usefulness. A methodology for acquiring and using general world knowledge about business for database design has been developed and implemented in a system called the Common Sense Business Reasoner, which acquires facts about application domains and organizes them into a hierarchical, con ...

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



> home | > about | > feedback | > login

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [expert AND system AND intelligent AND teaching]

Found **870** of **127,944** searched.

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results



> Advanced Search

> Search Help/Tips

Sort by: Title Publication Publication Date Score

Results 1 - 20 of 200 short listing



Prev
Page

1 2 3 4 5 6 7 8 9 10



Next
Page

1 The friendly intelligent tutoring environment 97%

Ljubomir Jerinic , Vladan Devedzic
ACM SIGCHI Bulletin January 2000

Volume 32 Issue 1

The advancement of using the Artificial Intelligence (AI) methods and techniques in design Intelligent Tutoring Systems (ITSs) makes understanding them more difficult, so that teachers are less and less prepared to accept these systems. As a result, the gap between researchers in the field of ITSs and the educational community is constantly widening. While ITSs are becoming more common and proving to be increasingly effective, each one must still be built from scratch at a significant cost.
Also ...

2 Computer vision and artificial intelligence 97%

Christopher O. Jaynes
Crossroads September 1996
Volume 3 Issue 1

3 Expert systems and ICAI in tax law: killing two birds with one AI stone 94%

D. M. Sherman
Proceedings of the second international conference on Artificial intelligence and law May 1989

The author describes five separate projects he has undertaken in the intersection of computer science and Canadian income tax law. They are: A computer-assisted instruction (CAI) course for teaching income tax, programmed using conventional CAI techniques; A "document modeling" computer program for generating the documentation for a tax-based transaction and advising the lawyer-user as to what decisions should be made and what the tax ef ...

4 Computing curricula 2001 94%
 **Journal on Educational Resources in Computing (JERIC) September 2001**

5 Toward an intelligent tutoring system for teaching law students to argue with cases 93%
 Kevin D. Ashley , Vincent Aleven
Proceedings of the third international conference on Artificial intelligence and law May 1991

6 Full Technical Papers: Intelligent user interface design for teachable agent systems 93%
 J. Davis , K. Leelawong , K. Belynne , B. Bodenheimer , G. Biswas , N. Vye , J. Bransford
Proceedings of the 8th international conference on Intelligent user interfaces January 2003
This paper describes the interface components for a system called Bettys Brain, an intelligent agent we have developed for studying the *learning by teaching* paradigm. Our previous studies have shown that students gain better understanding of domain knowledge when they prepare to teach others versus when they prepare to take an exam. This finding has motivated us to develop computer agents that students teach using concept map representations with a visual interface. Betty is intelligent n ...

7 Reviewed papers: Developing intelligent programming tutors for novice programmers 92%
 Nelishia Pillay
ACM SIGCSE Bulletin June 2003
Volume 35 Issue 2
First year Computer Science students often encounter difficulties when learning to write procedural and object-oriented programs for the first time. This is also true of students being exposed to a new programming paradigm. One-on-one tutoring has proven to be the most effective means of assisting first time programmers overcome learning difficulties. However, due to large class numbers and funding constraints the provision of one-on-one tutoring is not usually possible. Intelligent tutoring sys ...

8 Intelligent computer-based instruction 92%
 M. C. Lee , P. A. Samet
Proceedings of the 15th annual conference on Computer Science February 1987
Considerable interest continues to be shown in the use of logic programming in many areas of expert systems. Much of the enthusiasm stems from the adoption of PROLOG as the core programming language by the Japanese Fifth Generation Project. An intelligent computer-based instruction system, based upon an expert system approach and comprised of an expert system shell and a number of subject dependent knowledge bases, is introduced in this paper. The system, being implemented in PROLOG, would ...

9 What law students need to know to WIN 90%
 Vincent Aleven , Kevin D. Ashley
Proceedings of the fourth international conference on Artificial intelligence and law August 1993
To make legal arguments, one needs certain information about how to use cases effectively - dialectical information. In the broadest sense, dialectical information

includes strategies for employing cases to justify legal conclusions (and responding to such justifications) and criteria for finding cases and deciding which cases to use. Making dialectical information explicit is important for teaching case-based argument. It is our experience that typically, law students do not have a very go ...

10 Towards a framework for integrating intelligent tutoring systems and 90%
 gaming-simulation
Marios C. Angelides , Ray J. Paul
Proceedings of the 25th conference on Winter simulation December 1993

11 Providing opportunistic enrichment in customized on-line assistance 90%
 Ursula Wolz
Proceedings of the 1st international conference on Intelligent user interfaces
February 1993

12 A natural language based legal expert system for consultation and 89%
 tutoring—the LEX project
F. Haft , R. P. Jones , Th. Wetter
Proceedings of the first international conference on Artificial intelligence and law
December 1987
The LEX (Legal Expert System) project is one of the European based projects investigating legal expert systems from both a professional and a teaching perspective. The project is a cooperative project between the University of Tübingen and IBM Germany and developed out of research into a User Specialty Language system (USL) for natural language queries to a relational data base. The LEX system has as its main components a Natural Language Analyzer for analysis and logic representation ...

13 Web-CCAT: a collaborative learning environment for geographically 89%
 distributed information technology students and working professionals
Donna Dufner , Ojoung Kwon , Rassule Hadidi
Communications of the AIS March 1999

14 Knowledge assessment using fuzzy conceptual representation 89%
 Perry C. Cheng , Danny Kilis , Graeme Knight
Proceedings of the 1997 ACM symposium on Applied computing April 1997

15 Evaluating intelligent tutoring with gaming-simulations 89%
 Julika Siemer , Marios C. Angelides
Proceedings of the 27th conference on Winter simulation December 1995

16 An intelligent distributed environment for active learning 88%
 **Journal on Educational Resources in Computing (JERIC)** August 2001
Active learning is an effective learning approach. In this article we present an intelligent agent-assisted environment for active learning to better support the student-centered, selfpaced, and highly interactive learning approach. The environment uses the students learningrelated profile such as learning style and background knowledge in selecting, organizing, and presenting learning material, and it adopts a new approach to course content organization and delivery based on smart instruct ...

17 Intelligent graphics 88%
 Henry Lieberman
Communications of the ACM August 1996
Volume 39 Issue 8

18 An intelligent approach to handling imperfect information in concept-based natural language queries 88%
 Vesper Owei
ACM Transactions on Information Systems (TOIS) July 2002
Volume 20 Issue 3
Missing information, imprecision, inconsistency, vagueness, uncertainty, and ignorance abound in information systems. Such imperfection is a fact of life in database systems. Although these problems are widely studied in relational database systems, this is not the case in conceptual query systems. And yet, concept-based query languages have been proposed and some are already commercial products. It is therefore imperative to study these problems in concept-based query languages, with a view to ...

19 FRA: using a goal-based scenario to teach financial statement analysis 88%
 David A. Foster
Proceedings of the 1994 ACM symposium on Applied computing April 1994

20 A theory of student modelling in instructional expert systems 88%
 Gerard K. Rambally
Proceedings of the 1986 ACM fourteenth annual conference on Computer science
February 1986

Results 1 - 20 of 200

short listing



Prev
Page

1 2 3 4 5 6 7 8 9 10



Next
Page

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



> home > about > feedback > login

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [question answer hint]
Found **1 of 127,944** searched.

Search within Results

> Advanced Search

> Search Help/Tips


Sort by: Title Publication Publication Date Score Binder

Results 1 - 1 of 1 short listing

1 Design strategies for scenario-based hypermedia: description of its structure, dynamics, and style 80%
 Ryuichi Ogawa , Eiichiro Tanaka , Daigo Taguchi , Komei Harada
Proceedings of the ACM conference on Hypertext December 1993

Results 1 - 1 of 1 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)Welcome
United States Patent and Trademark Office

» See

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)**Quick Links**

Welcome to IEEE Xplore®

- [Home](#)
- [What Can I Access?](#)
- [Log-out](#)

Tables of Contents

- [Journals & Magazines](#)
- [Conference Proceedings](#)
- [Standards](#)

Search

- [By Author](#)
- [Basic](#)
- [Advanced](#)

Member Services

- [Join IEEE](#)
- [Establish IEEE Web Account](#)
- [Access the IEEE Member Digital Library](#)

Your search matched **3** of **1011253** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter new one in the text box.

 Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Design and implementation of the self-test module in web courses***Yu-Jin Zhang; Fan Jiang; Hao-Ji Hu; Dan Xu;*

Computers in Education, 2002. Proceedings. International Conference on , 3-2002

Pages:1092 - 1094 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(248 KB\)\]](#) **IEEE CNF****2 Development of accounting education CAI system***Adachi, Y.; Kawasumi, K.; Ozaki, M.; Ishii, N.;*

Knowledge-Based Intelligent Engineering Systems and Allied Technologies, 2000. Proceedings. Fourth International Conference on , Volume: 1 , 30 Aug.-1 Sep 2000

Pages:389 - 392 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) **IEEE CNF****3 Metrics and risks of CBSE [component-based software engineering]***Takeshita, T.;*

Assessment of Software Tools and Technologies, 1997., Proceedings Fifth International Symposium on , 2-5 June 1997

Pages:91 - 93

[\[Abstract\]](#) [\[PDF Full-Text \(244 KB\)\]](#) **IEEE CNF**[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)**Quick Links**

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

Your search matched **102** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Results Key:**JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Magnetic properties of a ferromagnetic metallic glass Fe80P16B1C3**

Chien, C.-L.; Hasegawa, R.;
Magnetics, IEEE Transactions on , Volume: 12 , Issue: 6 , Nov 1976
Pages:951 - 953

[\[Abstract\]](#) [\[PDF Full-Text \(288KB\)\]](#) IEEE JNL**2 Antiferromagnetic spin structure and domains in exchange-coupled multilayers**

Chien, C.L.; Gornakov, V.S.; Nikitenko, V.I.; Shapiro, A.J.; Shull, R.D.;
Magnetics, IEEE Transactions on , Volume: 38 , Issue: 5 , Sept. 2002
Pages:2736 - 2740

[\[Abstract\]](#) [\[PDF Full-Text \(226KB\)\]](#) IEEE JNL**3 Magnetoresistance anisotropy of a Bi antidot array**

Strijkers, G.J.; Yang, F.Y.; Reich, D.H.; Chien, C.L.; Searon, P.C.; Streiniker, Y.M.; Bergman, D.J.;
Magnetics, IEEE Transactions on , Volume: 37 , Issue: 4 , July 2001
Pages:2067 - 2069

[\[Abstract\]](#) [\[PDF Full-Text \(168KB\)\]](#) IEEE JNL**4 Inductive write heads for greater than 60 Gb/in² demonstration**

Chen, Y.; Tong, H.C.; Shi, X.; Wang, J.; Liu, F.; Stoev, K.; Jensen, W.; Rathi, Martinez, L.; Pansoy, H.; Dong, Z.W.; Yan, X.; Chien, C.;
Magnetics, IEEE Transactions on , Volume: 37 , Issue: 4 , July 2001
Pages:1719 - 1722

[\[Abstract\]](#) [\[PDF Full-Text \(584KB\)\]](#) IEEE JNL**5 Demonstration and characterization of greater than 60 Gb/in² recording systems**

Stoev, K.; Liu, F.; Shi, X.; Tong, H.C.; Chen, Y.; Chien, C.; Dong, Z.W.; Gibb M.; Funada, S.; Prabhu, P.; Nguyen, H.; Wachenschwanz, D.; Mei, L.; Schultz, Malhotra, S.; Lal, B.; Kimmel, J.; Russak, M.; Talalai, A.; Varlahanov, A.;

Magnetics, IEEE Transactions on ,Volume: 37 , Issue: 4 , July 2001
Pages:1264 - 1267

[\[Abstract\]](#) [\[PDF Full-Text \(89KB\)\]](#) [IEEE JNL](#)

6 Guest editors' introduction

Robertson, D.; Minear, R.; Chien, C.; Judy, J.;
Solid-State Circuits, IEEE Journal of ,Volume: 36 , Issue: 12 , Dec. 2001
Pages:1843 - 1845

[\[Abstract\]](#) [\[PDF Full-Text \(30KB\)\]](#) [IEEE JNL](#)

7 New designs of silicon pixel detectors fabricated from normal and oxygen-enriched silicon substrates

Xie, X.B.; Cho, H.S.; Chien, C.Y.; Liang, G.W.; Huang, W.; Li, Z.;
Nuclear Science, IEEE Transactions on ,Volume: 47 , Issue: 6 , Dec 2000
Pages:1807 - 1811

[\[Abstract\]](#) [\[PDF Full-Text \(456KB\)\]](#) [IEEE JNL](#)

8 Laminated FeRhN films for high speed writers

Chen, Y.J.; Hossain, S.; Miloslavsky, L.; Liu, Y.; Chien, C.; Shi, Z.P.; Miller, M Tong, H.C.;
Magnetics, IEEE Transactions on ,Volume: 36 , Issue: 5 , Sept 2000
Pages:3476 - 3478

[\[Abstract\]](#) [\[PDF Full-Text \(76KB\)\]](#) [IEEE JNL](#)

9 Enhanced spin-valve giant magneto-resistance in non-exchange bias sandwich films

Mao, M.; Cerjan, C.; Law, B.; Grabner, F.; Miloslavsky, L.; Chien, C.;
Magnetics, IEEE Transactions on ,Volume: 36 , Issue: 5 , Sept 2000
Pages:2866 - 2868

[\[Abstract\]](#) [\[PDF Full-Text \(64KB\)\]](#) [IEEE JNL](#)

10 Low resistance spin-dependent tunneling junctions with naturally oxidized tunneling barrier

Sin, K.; Mao, M.; Chien, C.; Funada, S.; Miloslavsky, L.; Tong, H.-C.; Gupta, M.;
Magnetics, IEEE Transactions on ,Volume: 36 , Issue: 5 , Sept 2000
Pages:2818 - 2820

[\[Abstract\]](#) [\[PDF Full-Text \(72KB\)\]](#) [IEEE JNL](#)

11 Demonstration and characterization of 36 Gb/in² recording system

Liu, F.H.; Stoev, K.; Shi, X.; Tong, H.C.; Chien, C.; Dong, Z.W.; Yan, X.; Gibi M.; Funada, S.; Liu, Y.; Prabhu, P.; Dey, S.; Schultz, M.; Mahotra, S.; Lal, B. Kimmel, J.; Russak, M.; Kern, P.;
Magnetics, IEEE Transactions on ,Volume: 36 , Issue: 5 , Sept 2000
Pages:2140 - 2142

[\[Abstract\]](#) [\[PDF Full-Text \(124KB\)\]](#) [IEEE JNL](#)

12 Characterization of silicon pixel detectors with the n⁺/n/p⁺ and double-sided multiguard ring structure before and after neutron irradiation

Cho, H.S.; Xie, X.B.; Chien, C.Y.; Liang, G.W.; Huang, W.; Dezillie, B.; Eremiak, Z.;

Nuclear Science, IEEE Transactions on , Volume: 47 , Issue: 3 , June 2000
Pages:772 - 776

[\[Abstract\]](#) [\[PDF Full-Text \(332KB\)\]](#) [IEEE JNL](#)

13 Enhancement of restoration service in distribution systems using a combination fuzzy-GA method

Hsiao, Y.-T.; Chien, C.-Y.;

Power Systems, IEEE Transactions on , Volume: 15 , Issue: 4 , Nov. 2000
Pages:1394 - 1400

[\[Abstract\]](#) [\[PDF Full-Text \(156KB\)\]](#) [IEEE JNL](#)

14 Adaptive radio for multimedia wireless links

Chien, C.; Srivastava, M.B.; Jain, R.; Lettieri, P.; Aggarwal, V.; Sternowski, R
Selected Areas in Communications, IEEE Journal on , Volume: 17 , Issue: 5 , 1999

Pages:793 - 813

[\[Abstract\]](#) [\[PDF Full-Text \(756KB\)\]](#) [IEEE JNL](#)

15 Using front and back information for tight vehicle following maneuver

Zhang, Y.; Kosmatopoulos, B.; Ioannou, P.A.; Chien, C.C.;

Vehicular Technology, IEEE Transactions on , Volume: 48 , Issue: 1 , Jan. 1999
Pages:319 - 328

[\[Abstract\]](#) [\[PDF Full-Text \(356KB\)\]](#) [IEEE JNL](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [Next](#)

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)



[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)



Welcome
United States Patent and Trademark Office



» All

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)

Quick Links

Welcome to IEEE Xplore

- Home
- What Can I Access?
- Log-out

[Tables of Contents](#)

- Journals & Magazines
- Conference Proceedings
- Standards

[Search](#)

- By Author
- Basic
- Advanced

[Member Services](#)

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

To Locate an Author:

1. Enter a last name or select a letter in the alphabet.
2. Once you identify the name, select it to search the database for relevant articles.

1. Options:

» Enter a name to find an author:

Go

Example: Enter Lockett S to obtain a list of authors with the last name Lockett and first name initial S.
OR» Select a letter to browse the author list:

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) | [ALL](#)

2. Select an author name to search the database for relevant articles:

| | | | | |
|-----------------------------------|-----------------------------------|----------------------------------|------------------------------------|------------------------|
| Chien-Chih Hu | Chien-Chih Huang | Chien-Chih Lee | Chien-Chih Lin | Chi... |
| Chien-Chih Wang | Chien-Chin Chen | Chien-Chin Hsiao | Chien-Chin Huang | Chi... |
| Chien-Ching Chiu | Chien-Ching Lin | Chien-Ching Ma | Chien-Chiung Hsieh | Chi... |
| Chien-Chou Chen | Chien-Chou Cheng | Chien-Chou Lin | Chien-Chou Shis | Chi... |
| Chien-Chu Kuo | Chien-Chuan Cheng | Chien-Chuan Ko | Chien-Chuen Yang | Chi... |
| Chien-Chun Li | Chien-Chun Lu | Chien-Chun Su | Chien-Chun Tsai | Chi... |
| Chien-Chung Chan | Chien-Chung Chang | Chien-Chung Chen | Chien-Chung Chua | Chi... |
| Chien-Chung Huang | Chien-Chung Jeng | Chien-Chung Kung | Chien-Chung Lee | Chi... |
| Chien-Chung Teh | Chien-Chung Tsai | Chien-Chung Wang | Chien-Chung Wu | Chi... |
| Chien-chung Lai | Chien-chung Lin | | | |

[Previous 50](#)

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) | [ALL](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#)
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)



[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)



Welcome
United States Patent and Trademark Office



» At

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)

Quick Links

Welcome to IEEE Xplore

- Home
- What Can I Access?
- Log-out

TABLES of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

To Locate an Author:

1. Enter a last name or select a letter in the alphabet.
2. Once you identify the name, select it to search the database for relevant articles.

1. Options:

» Enter a name to find an author:

Go

Example: Enter Lockett S to obtain a list of authors with the last name Lockett and first name initial S.
OR» Select a letter to browse the author list:

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) | [ALL](#)

2. Select an author name to search the database for relevant articles:

| | | | | |
|-----------------------------------|----------------------------------|-----------------------------------|-----------------------------------|----------------------|
| Chien C. | Chien C.-C. | Chien C.-H. | Chien C.-H. C. | Chie |
| Chien C.-L. | Chien C.-P. | Chien C.-Y. | Chien C. C. | Chie |
| Chien C. J. | Chien C. L. | Chien C. P. | Chien C. Y. | Chie |
| Chien Chen | Chien Cheng Chu | Chien Chiang | Chien Chou | Chie |
| Chien-Chan Liang | Chien-Chang Chen | Chien-Chang Hsu | Chien-Chang Huang | Chie |
| Chien-Chang Lin | Chien-Chang Liu | Chien-Chang Pei | Chien-Chang Wang | Chie |
| Chien-Chao Tsai | Chien-Chao Tseng | Chien-Chen Tseng | Chien-Cheng Chen | Chie |
| Chien-Cheng Tseng | Chien-Cheng Tu | Chien-Cheng Tung | Chien-Cheng Yu | Chie |
| Chien-Chi Chao | Chien-Chi Lin | Chien-Chia Cheng | Chien-Chia Chien | Chie |
| Chien-Chien Chiu | Chien-Chih Chen | Chien-Chih Chiang | Chien-Chih Chu | Chie |

Next 47

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) | [ALL](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#)
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| - | 457 | learn\$3 and (question\$3 same answer\$3) and hint\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/14 17:00 |
| - | 199 | learn\$3 and (question\$3 same answer\$3 same hint\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/14 17:31 |
| - | 59 | (learn\$3 and (question\$3 same answer\$3 same hint\$3)) and grad\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/14 17:13 |
| - | 37 | (learn\$3 and (question\$3 same answer\$3 same hint\$3)) and grad\$3 and categor\$8 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/14 17:13 |
| - | 171 | learn\$3 and question\$3 and answer\$3 and hint\$3 and scor\$4 and (grad\$3 or categor\$8 or class\$10) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/14 17:32 |
| - | 72 | (learn\$3 and question\$3 and answer\$3 and hint\$3 and scor\$4 and (grad\$3 or categor\$8 or class\$10)) and @pd<=20010417 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/14 17:34 |
| - | 112 | (learn\$3 and question\$3 and answer\$3 and hint\$3 and scor\$4 and (grad\$3 or categor\$8 or class\$10)) and criteri\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/14 17:35 |
| - | 106 | ((learn\$3 and question\$3 and answer\$3 and hint\$3 and scor\$4 and (grad\$3 or categor\$8 or class\$10)) and criteri\$2) and low\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/14 17:36 |
| - | 57 | ((((learn\$3 and question\$3 and answer\$3 and hint\$3 and scor\$4 and (grad\$3 or categor\$8 or class\$10)) and criteri\$2) and low\$3) and upper | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/14 17:36 |